

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	255	710/11.ccls. AND ((@ad <= "19991217") or (@rlad <= "19991217"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/21 09:57
L2	501	710/10.ccls. AND ((@ad <= "19991217") or (@rlad <= "19991217"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/21 11:29
L3	468	2 NOT 1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/21 11:29
L4	1678937	((settop "set top" customer user consumer viewer TV television cable CATV personal home network satellite receiver video audiovisual multimedia) NEAR2 (device box terminal unit decoder receiver)) or STB or STT or IRD	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/21 11:43
L5	5954	((maintain\$3 same keep record replace retain persistent table allocat\$3 registrat\$3 register) WITH ((terminal device equipment L4) NEAR2 (ID identification name number)) WITH (reset\$4 re-connect\$3 disconnect\$3 remov \$3 connect\$3 reconnect\$3 ((turn power) NEAR2 (on off)) "turn-on" "turn- off" "power-on" "power-off"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/21 11:43

L6	168	5 SAME ((local home ring star firewire "1394" customer premises apartment dwelling) NEAR2 (network configuration))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/21 11:45
L7	18	6 AND ((@ad <= "19991217") or (@rlad <= "19991217"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/21 11:46
L8	9043	(maintain\$3 same keep record replace retain persistent table allocat\$3 registrat\$3 register) WITH ((terminal device equipment L4 node peripheral unit) NEAR2 (ID identification name number)) WITH (reset \$4 re-connect\$3 disconnect\$3 remov \$3 connect\$3 reconnect\$3 ((turn power) NEAR2 (on off)) "turn-on" "turn-off" "power-on" "power-off")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/21 11:49
L9	226	8 SAME ((local home ring star firewire "1394" customer premises apartment dwelling) NEAR2 (network configuration))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/21 11:51
L10	34	9 AND ((@ad <= "19991217") or (@rlad <= "19991217"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/21 11:52
L11	16	10 NOT 7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/21 11:53
L12	3311	8 AND ((@ad <= "19991217") or (@rlad <= "19991217"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/21 11:58

L13	258	12 and "710"/\$.OCL.S	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/21 11:58
L14	14680	(maintain\$3 same keep record replace retain persistent table allocat\$3 registrat\$3 register) WITH ((terminal device equipment L4 node peripheral unit) NEAR2 (ID identification name number address)) WITH (reset\$4 re- connect\$3 disconnect \$3 remov\$3 connect \$3 reconnect\$3 ((turn power) NEAR2 (on off)) "turn-on" "turn- off" "power-on" "power-off")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/21 12:02
L15	21519	(maintain\$3 same keep record store storing storage retain persistent table allocat \$3 registrat\$3 register) WITH ((terminal device equipment L4 node peripheral unit) NEAR2 (ID identification name number address)) WITH (reset\$4 re- connect\$3 disconnect \$3 remove removal removed removing connect connected connecting reconnect \$3 ((turn power) NEAR2 (on off)) "turn- on" "turn-off" "power- on" "power-off")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/21 12:10
L16	651	15 SAME ((local home ring star firewire "1394" customer premises apartment dwelling) NEAR2 (network configuration))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/21 12:13

L17	137	16 AND ((@ad <= "19991217") or (@rlad <= "19991217"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/21 12:13
L18	6331	(stored) WITH ((terminal device equipment L4 node peripheral unit) NEAR2 (ID identification name number address)) WITH (reset\$4 re- connect\$3 disconnect \$3 remove removal removed removing connect connected connecting reconnect \$3 ((turn power) NEAR2 (on off)) "turn- on" "turn-off" "power- on" "power-off")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/21 12:55
L19	144	18 SAME ((local home ring star firewire "1394" customer premises apartment dwelling) NEAR2 (network configuration))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/21 12:55
L20	29	19 AND ((@ad <= "19991217") or (@rlad <= "19991217"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/21 12:56
L21	23756	(maintain\$3 same keep record store stored storing storage retain persistent table allocat\$3 registrat\$3 register) WITH ((terminal device equipment L4 node peripheral unit) NEAR2 (ID identification name number address)) WITH (reset\$4 re- connect\$3 disconnect \$3 remove removal removed removing connect connected connecting reconnect \$3 ((turn power) NEAR2 (on off)) "turn-	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/21 12:59

		on" "turn-off" "power-on" "power-off")				
L22	2505	710/8-19.ccls. AND ((@ad <= "19991217") or (@rlad <= "19991217"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/21 13:27
L23	163	21 AND 22	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/21 13:27
L24	163	23 AND ((@ad <= "19991217") or (@rlad <= "19991217"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/21 13:27
L25	104084	(maintain\$3 same keep record store preserve ("non volatile") flash stored storing storage retain persistent table allocat \$3 registrat\$3 register) WITH ((terminal device equipment L4 node peripheral unit configuration) NEAR2 (ID identification name number address information data)) WITH (reset\$4 re-connect\$3 disconnect \$3 remove removal removed removing connect connected connecting reconnect \$3 ((turn power) NEAR2 (on off)) "turn-on" "turn-off" "power-on" "power-off")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/21 14:25

L26	798243	(maintain maintainance maintaining maintained same keep record store preserve ("non volatile") flash stored storing storage retain persistent table allocate allocated allocates allocating registrat\$3 register) WITH ((terminal device equipment L4 node peripheral unit configuration) NEAR2 (ID identification name number address information data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/21 14:31
L27	182789	26 SAME (reset\$4 re- connect\$3 disconnect disconnects disconnected disconnecting remove removal removed removing connect connected connecting reconnect\$3 ((turn power) NEAR2 (on off)) "turn-on" "turn- off" "power-on" "power-off")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/21 14:39
L28	988	27 SAME ((bus configuration network) NEAR2 (reset \$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/21 14:41
L29	313	28 AND ((@ad <= "19991217") or (@rlad <= "19991217"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/21 14:41
L30	2	"5731844".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/21 16:30
L31	1	18 SAME ((HAVI) NEAR2 (network configuration))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/21 17:32

L32	2	18 SAME (HAVI)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/21 17:33
-----	---	----------------	---	----	----	---------------------

9/ 21/ 10 5:34:40 PM

C:\ Documents and Settings\ RBrown1\ My Documents\ EAST\ Workspaces\ 9-466279.wsp